



REQUEST FOR QUOTATION

Title: **PROCUREMENT OF LED PROJECTOR (HDMI READY)**
Date: September 17, 2020
Place of Delivery: 9th Floor EDSA Grand Residences
75 Corregidor Street corner EDSA, Quezon City
ABC: **Php 239,940.00**

Description:

The Philippine Statistics Authority- Regional Statistics Service Office National Capital Region Provincial Office (PSA-RSSO NCR) invites interested suppliers / bidders to submit their quotations / proposals for the hereunder requirements:

1. Mayor's Permit
2. PhilGeps Registration
3. Income Tax Return

Please submit your formal proposal duly signed by your representative through email at g.morada.psancr@gmail.com or via sealed envelope or the option of the supplier, attention to:

MR. ELMOR G. BARROQUILLO
ROBAC Chairperson
Philippine Statistics Authority
National Capital Region

Note: Price quoted shall include VAT.

Deadline for submission of sealed quotations is on September 25, 2020, 10:00 A.M. at 9th Floor EDSA Grand Residences, 75 Corregidor Street corner EDSA, Quezon City. The PSA-RSSO NCR assume no responsibility, whatsoever, to compensate or indemnify suppliers / bidders for any expenses incurred in the preparation of the quotation.



Management System
ISO 9001:2015
www.tuv.com
ID: 9108640991



9th Floor EDSA Grand Residences
75 Corregidor Street, cor EDSA
Barangay Ramon Magsaysay, Quezon City 1105
<http://rssoncr.psa.gov.ph> • psa.ncr.rso@gmail.com

A. Project Site and Contact Person

Project Site	Contact Person	Address / Telephone No.
Quezon City	Gerald M. Morada	9 th Floor EDSA Grand Residences, 75 Corregidor Street corner EDSA, Quezon City / Tel. Nos. 8-362-6047/ 8-937-7738

B. Technical Specifications

Specifications	Unit	Qty	Unit Price	Total Amount VAT inclusive	Compliance with Technical Specification (please check)	
					YES	NO
<p>LED Projector (HDMI Ready)</p> <p>Optical LCD Panel: 0.63" (1.6cm) P-Si TFT x 3 Resolution: XGA (1024x768) White light output (brightness): 4000 ANSI Lumens (Normal Mode) 2600 ANSI Lumens (Eco Mode) Brightness: 4000 ANSI Lumens (Normal Mode) 2600 ANSI Lumens (Eco Mode) Contrast Ratio: 3000:01:00 Lens: Manual Focus, Manual Zoom x 1.2 Lamp Wattage: 215W UHP Lamp Life: 5000 hours (Normal Mode) 6000 hours (Eco Mode)* Diagonal Display Size: 30~300" (76~762cm) Number of colours: 8 Bit/colour, 16.7M colours Keystone correction: 9:1 upward shift, fixed Focus distance: 0.9m~9.0m (Wide), 1.0~10.7m (Tele) Distance to width ratio:1.5 (Wide), 1.8 (Tele)</p>	unit	6				
<p>Compatability</p> <p>Computer compatibility IBM Compatible VGA, SVGA, XGA, WXGA, WXGA+, SXGA, SXGA+, UXGA (compressed), MAC 16"</p> <p>Composite/S-Video: NTSC, PAL , SECAM, PAL -M, PAL -N, NTSC4.43, 1125p(1080p@50/60), 750p(720p@50/60)</p> <p>HDMI Video: Signal: 525i(480i), 525p(480p), 625i(576i), 1125i(1080i@50/60), 750p(720p@50/60), 1125p(1080p@50/60)</p> <p>Plug & Play: DDC2B</p>						

Specifications	Unit	Qty	Unit Price	Total Amount VAT inclusive	Compliance with Technical Specification (please check)	
					YES	NO
<p>Features</p> <p>Speakers: 16W Mono (8W x 2) Basic functions: Freeze, Magnifying, Blank, Auto adjustment, Search, Page Up & Down (for USB mouse function), Auto signal search, Auto eco mode</p> <p>Picture Adjustments: Aspect selection (video, data, HDMI), Equalizing Gamma Correction, Equalizing Color temperature adjustment, 2-3 pull down for NTSC, Mirror reverse image, up-side down image, Progressive Scan, Noise Reduction, Overscan</p> <p>Digital keystone: Auto V keystone ± 30 degrees (@ XGA 60Hz)</p> <p>Advanced Features: MyScreen, My Memory, My Button, My Text, My Source, Picture mode (normal, cinema, dynamic, blackboard, whiteboard greenboard, photo), Daytime Mode, Input Source Naming (English), Resolution setting, Template, Closed Caption (for NTSC & component 480i only), Audio pass through, Framelock, Audio ports assign, Cloning, Drawing function (Optional wireless pen tablet TB-1 is necessary), Eco Mode (Normal, Eco, Intelligent Eco, Saver), iOS Connectivity</p> <p>Outward Easy lamp replace from top, Air filter</p> <p>Power on & off: Direct on, Auto off Security Systems: Security bar, PIN-Lock, MyScreen Password, Keypad-Lock, Kensington slot, Transition detector, My Text, Security label</p> <p>Network: Network presentation (PC still/moving picture transfer), Campus Notification System, Configure and control projector via web browser, receive alerts via e-mail, projector management via SNMP, Crestron RoomView®, Scheduling, My Image, displaying text data transferred via the network, Command Control via network, A MX Device Discovery, PJ Link™, Network Bridge</p>						
<p>Connections</p> <p>Digital Input: 1 x HDMI (HDCP compatible) Computer Input: 2 x 15-pin Mini D-sub Monitor output: 1 x 15-pin Mini D-sub (RCA combination)</p> <p>Video Input 2 x 15-pin Mini D-sub (shared with analogue computer in 1/2) 1 x RCA for composite 1 x Mini-DIN for S-Video</p>						

Specifications	Unit	Qty	Unit Price	Total Amount VAT inclusive	Compliance with Technical Specification (please check)	
					YES	NO
<p>Audio Input: 2 x Stereo Mini Jack 1 x pair RCA (L/R) 1 x Microphone Jack (Stereo Mini)</p> <p>Audio Output: 1 x pair RCA (L/R)</p> <p>USB Type A: 2 x USB Type A (for PC-less presentation and wireless network)</p> <p>USB Type B: 1 x USB Type B (for USB display or USB mouse control)</p> <p>Wired network: 1 x RJ-45</p> <p>Wireless network: Option, IEEE802.11b/g/n ready (optional wireless adapter required)</p> <p>Control 1 x 9-pin D-sub for RS232C Control</p> <p>Power Power Supply: 100-120V / 220-240V auto switching</p> <p>Power Consumption/Standby: 300W/<0.5W (AC 220-240V)</p>						
<p>Physical</p> <p>Dimensions (W x H x D) (Without feet) 317x98x288mm (excluding feet and extrusions)</p> <p>Weight 3.6Kg</p> <p>Noise Level 35dB (Normal Mode)/31dB (Eco mode)</p> <p>Air Filter Hybrid (up to 5000 hours)</p> <p>Miscellaneous MISCELLANEOUS: Indicator lights (lamp, temp, power), Ceiling mount image, Rear projection image, Serial number label on side, MAC PC support: PJ Control software, MAC address label on side, LiveViewer software</p> <p>Certification CERTIFICATION: UL60950-1/cUL, FCC Part 15 subpart B class B, CE Marking: EN61000-3-2, EN61000-3-3, EN55022, EN55024 (EMC Directive), EN60950-1 (Low voltage directive), WEEE, RoHS, ErP (lot6) compliant, DEMKO-GS, GOST-R</p> <p>Accessories Supplied ACCESSORIES SUPPLIED : Remote control with batteries (HL02881), Computer cable, Power cord, Lens cap, Security label, Adapter cover, User manual (detail & concise), Network & wireless software (CD-ROM)</p> <p>Warranty: 2 years warranty</p>						


C. Financial Proposal

1. The supplier / bidder shall submit as part of their financial proposal, the price schedule of the goods and other related services as specified in the Technical Specification.
2. Prices quoted by the supplier / bidder shall be fixed during the bidder's performance of the contract and not subject to variation/s or price escalation/s on any account. A bid / proposal submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected.

Prepared by:


GERALD M. MORADA
ROBAC Secretariat

Approved:


ELMOR G. BARROQUILLO
ROBAC Chairperson