



Goals/Targets/Indicators	Baseline		Data Source Agency
	Data	Year	

**GOAL 3. ENSURE HEALTHY LIVES AND PROMOTE WELL-BEING FOR ALL AT ALL AGES**

Target	By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births			
3.1.2	Proportion of births attended by skilled health personnel	NDHS - PSA	96.1	2017
3.1.s1	Proportion of births delivered in a health facility	NDHS - PSA	91.9	2017
Target	By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal			
3.2.1	Under-five mortality rate	NDHS - PSA	27	2017
3.2.2	Neonatal mortality rate	NDHS - PSA	14	2017
3.2.s1	Infant Mortality Rate	NDHS - PSA	21	2017
Target	Target 3.3: By 2030, end the epidemics of AIDS, tuberculosis, malaria and neglected tropical diseases and combat hepatitis,			
3.3.1.p1	3.3.1.p1 Number of new HIV infections (newly diagnosed cases/year)			
3.3.2	3.3.2 Tuberculosis incidence per 100,000 population (per 100,000 in DOH)			
3.3.3	3.3.3 Malaria incidence per 1,000 population (per 100,000 in DOH)			
Target	Target 3.4: By 2030, reduce by one third premature mortality from non-communicable diseases through prevention and treat-			
3.4.1	3.4.1 Mortality rate attributed to cardiovascular disease, cancer, diabetes or chronic respiratory disease			
Target 3.5	Target 3.5: Strengthen the prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol			
3.5.1	3.5.1.p1 Percentage of drug abuse cases or drug users who completed treatment			
3.5.2	3.5.2 Harmful use of alcohol, defined according to the national context as alcohol per capita consumption (aged 15 years and older) within a calendar year in litres of pure alcohol			
Target	Target 3.6: By 2020, halve the number of global deaths and injuries from road traffic accidents			
3.6.1	3.6.1 Death rate due to road traffic injuries			
Target	Target 3.7: By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, in-			
3.7.1	3.7.1 Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied [provided] with modern methods	NDHS - PSA	39.9	2017
3.7.2	3.7.2 Adolescent birth rate (aged 10-14 years or aged 15-19 years) per 1,000 women in that age group			
3.7.s1	3.7.s1 Contraceptive Prevalence Rate			
Target 3.8	Target 3.8: Achieve universal health coverage, including financial risk protection, access to quality essential health-care services and access to safe, effective, quality and affordable essential medicines and vaccines for all			
3.8.2	3.8.2 Number of people covered by health insurance or a public health system per 1,000 population			
3.8.s1	3.8.s1 % of population covered by the social health insurance			
3.8.s2	3.8.s2 Out-of-pocket health spending as percentage of total			
Target 3.9	Target 3.9: By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water and soil pollution and contamination			
3.9.3	3.9.3 Mortality rate attributed to unintentional poisoning			
Target 3.a	Target 3.a Strengthen the implementation of the World Health Organization Framework Convention on Tobacco Control in all countries, as appropriate.			
3.a.1	3.a.1 Age-standardized prevalence of current tobacco use among persons aged 15 years and older			
3.a.s1	3.a.s1 Prevalence of current tobacco use			
Target 3.b	Target 3.b: Support the research and development of vaccines and medicines for the communicable and non-communicable diseases that primarily affect developing countries, provide access to affordable essential medicines and vaccines, in accordance with the Doha Declaration on the TRIPS Agreement and Public Health, which affirms the right of developing countries to use to the full the provisions in the Agreement on Trade-Related Aspects of Intellectual Property Rights regarding flexibilities to protect public health, and, in particular, provide access to medicines for all			
3.b.1p1	3.b.1p1 Proportion of FIC			
3.b.3p1	3.b.3p1 Percentage availability of essential drugs in public health facilities			